

1- Chemical Product and Company Identification:**Product Name:** 222/3  
**Date revised:** 05/22/07**Product Type:** Cyanoacrylate Ester  
**Emergency Number:** 800-535-50532- Composition/Information on Ingredients:

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>%</u>
Ethyl-2 Cyanoacrylate	7085-85-0	80-95
Poly Methyl Methacrylate	9011-14-7	5-10

<u>Exposure Limits (TWA)</u>	<u>ACGIH (TLV)</u>	<u>OSHA (PEL)</u>	<u>OTHER</u>
Ethyl-2 Cyanoacrylate	0.2 ppm	None	None

3- Hazards Identification:**Potential Health Effects:****Inhalation:** Exposure to vapors above the established exposure limit results in respiratory irritation which may lead to difficulty breathing and tightness in the chest.**Skin Contact:** Bonds to skin in seconds. May cause skin irritation. Cyanoacrylates have been reported to cause allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare. Cyanoacrylates generate heat during the cure process and, in rare instances, a large drop can burn the skin.**Eye contact:** Irritating to eyes. Causes excessive tearing. Eyelids may bond.**Ingestion:** Material is not harmful if ingested. Cyanoacrylates are almost impossible to swallow because they solidify in the mouth.4- First Aid Measures:**Ingestion:** Ingestion is unlikely. See supplemental section for emergency action.**Inhalation:** Remove to fresh air. If symptoms persist, obtain medical attention.**Skin contact:** Soak in warm water. Do not pull skin apart. See supplemental section for emergency action.**Eye contact:** Flush with warm water. If eye lids are bonded closed, release eyelashes with warm water by covering the eye with a wet pad. Do not force eye open. See supplemental section for emergency action.5- Fire Fighting Measures:**Flash Point:** 150-200°F, Tag Closed Cup  
**Extinguishing Media:** Foam, Dry Chemical or Carbon Dioxide  
**Unusual Fire or Explosion Hazards:** None.  
**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus

## 6-Accidental Release Measures

**Steps to be taken in case of spill or leak:** Do not use cloths for clean-up. Flood spilled material with water to polymerize. Cured material can be scraped up and disposed of as non-hazardous waste. Make sure spill area is well ventilated.

## 7- Handling and Storage:

**Safe storage:** Store away from heat and direct sunlight to maximize shelf life. Store inside in a dry location. Keep container tightly closed.

**Handling:** Avoid contact with skin, eyes, and clothing. Avoid breathing vapor or mist. Avoid contact with paper goods or fabric. Contact with these materials may cause rapid polymerization which can generate smoke and strong irritating vapors.

## 8- Protective Equipment:

**Ventilation:** Local exhaust ventilation is recommended to maintain vapor level below TLV.

**Respiratory protection:** Not applicable with good local exhaust. Use NIOSH approved respirator if there is a potential to exceed exposure limits.

**Skin:** Polyethylene or non reactive gloves. Do not use cotton, PVC, or wool. See supplemental page for more information.

**Eye protection:** Safety glasses or goggles with side shields.

## 9- Physical and Chemical Properties:

**Appearance:** clear liquid

**Odor:** Sharp, irritating

**Boiling Point:** Greater than 300°F

**Melting Point:** Not determined

**Vapor Pressure:** Less than 0.2mm Hg @25°C

**pH:** Not applicable

**Vapor Density:** Approximately 3 (Air =1)

**Evaporation rate:** Not applicable

**Specific Gravity:** 1.06 at 20° C

**Odor Threshold:** 1-2 ppm

**Solubility in water:** Negligible. Polymerized by water.

**Partition coefficient:** Not determined

**Volatile Organic Compound:**  
(SCQAMD Method 316B) less than 20 grams per liter (estimated)

## 10- Stability and Reactivity

**Stability:** Stable under recommended storage conditions.

**Hazardous Polymerization:** Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

**Incompatibility:** Polymerized by contact with water, alcohols, amines, and alkalis.

## 11- Toxicological Information

**Acute oral LD50 >5000mg/kg (rat) (estimated). Acute dermal LD50> 2000 mg/kg (rabbit) (estimated).**

12-Ecological Information

No Data

13- Disposal Considerations:

Disposal procedures: Dispose of in accordance with Federal, State and local regulations.

14- Transportation Information:Domestic Ground Transport:

Proper shipping name: Combustible liquid, n.o.s. (more than 450 liters)  
Hazard class or division: Combustible liquid (more than 450 liters)  
Identification number: NA 1993 (More than 450 liters)  
Exceptions: Unrestricted under 450 liters  
Marine pollutant: No

International Air Transportation (ICAO/IATA):

Proper shipping name: Aviation regulation liquids, n.o.s. (Cyanoacrylate ester)  
Hazard class or division: 9  
Identification number: UN 3334  
Packing Group: None  
Exceptions: Unrestricted under 500 ml

Water transportation (IMO/IMDG):

Proper shipping name: Unrestricted  
Hazard Class or Division: None  
Identification number: None  
Packing Group: None  
Marine pollutant: None

15- Regulatory Information

TSCA 8b Inventory status: All components are listed or exempt  
CERCLA/SARA Section 302 EHS: None  
CERCLA/SARA Section 311/312: Immediate health hazard, Delayed health hazard, Fire, Reactive  
CERCLA SARA 313: None  
California Proposition 65: None  
Canada DSL/NDSL: All components are listed or exempt  
WHMIS hazard class: B.3, D.2.B

16- Other Information

<u>Hazard</u>	<u>NFPA Hazard Code®</u>	<u>HMIS Hazard Code®</u>
Health	2	2
Fire	2	2
Physical Hazard:	1	1
Specific Hazard	No water	Personal protection: See Section 8

